
# **ICOSL Polyclonal Antibody**


Catalog No.<br/>StorageMBS2539457<br/>Store at -20°C. Avoid freeze / thaw cycles.Reactivity<br/>HostH,M,R<br/>RabbitApplicationsWB,IHCIsotypeIgG

Note: Centrifuge before opening to ensure complete recovery of vial contents.


# **Images**



Western blot analysis of extracts of various cell lines using ICOSL Polyclonal Antibody at dilution of 1:1000.



Immunohistochemistry of paraffinembedded Human skin carcinoma using ICOSL Polyclonal Antibody at dilution of 1:100 (40x lens).



Immunohistochemistry of paraffinembedded Human kidney using ICOSL Polyclonal Antibody at dilution of 1:100 (40x lens).

# **Immunogen Information**

Immunogen Recombinant fusion protein of human ICOSL

(NP\_056074.1).

**GeneID** 23308 **Swissprot** O75144

Synonyms ICOSLG,B7-H2,B7H2,B7RP-1,B7RP1,CD275,GL50,

ICOS-L,ICOSL,LICOS

## **Product Information**

Calculated MW 20kDa/33kDa/34kDa

Observed MW 50-70kDa

**Buffer** PBS with 0.02% sodium azide, 50% glycerol, pH7.3.

**Purify** Affinity purification

**Dilution** WB 1:500-1:2000 IHC 1:50-1:200

# **Background**

This gene is ligand for the T-cell-specific cell surface receptor ICOS. Acts as a costimulatory signal for T-cell proliferation and cytokine secretion; induces also B-cell proliferation and differentiation into plasma cells. May be play an important role in mediating local tissue responses to inflammatory conditions, as well as in modulating the secondary immune response by co-stimulating memory T-cell function.